

## Material Incorporated by Reference in Hazardous Substance Safe Work Instruments

Pursuant to section 52 of the Legislation Act 2012, I, Nicole Rosie, Chief Executive, WorkSafe New Zealand, give notice that the standards listed in the table are incorporated into the safe work instruments listed in the table for the purposes of the Health and Safety at Work (Hazardous Substances) Regulations 2017. All the safe work instruments listed in the table were approved on **29 July 2019**.

The table sets out which standards are incorporated and the safe work instruments in which they are incorporated. Copies of the standards incorporated may be purchased at the internet addresses indicated in the table:

**Table**

| Standard   | Safe work instrument   | Place of purchase   |
|--|--|---|
| DOT-SP 7235, 25th revision<br>Fibre-reinforced plastic hoop-wrapped cylinders conforming to DOT FRP-2 Standard Revision 1  | Health and Safety at Work (Hazardous Substances - Specification of Design Standards for Refillable Cylinders) Amendment Safe Work Instrument 2019  | <a href="https://www.phmsa.dot.gov/">https://www.phmsa.dot.gov/</a>           |
| DOT-SP 8725, 22nd revision<br>Fibre reinforced plastic hoop-wrapped aluminium cylinders conforming to DOT FRP-2 Standard Revision 1  | Health and Safety at Work (Hazardous Substances - Specification of Design Standards for Refillable Cylinders) Amendment Safe Work Instrument 2019  | <a href="https://www.phmsa.dot.gov/">https://www.phmsa.dot.gov/</a>           |
| DOT-SP 9634, 10th revision<br>Fibre reinforced plastic full composite cylinder conforming to DOT FRP-1 Standard Revision 2   | Health and Safety at Work (Hazardous Substances - Specification of Design Standards for Refillable Cylinders) Amendment Safe Work Instrument 2019  | <a href="https://www.phmsa.dot.gov/">https://www.phmsa.dot.gov/</a>           |
| DOT-SP 12098, 9th revision<br>Welded spherical cylinders for use in a re-breather unit, conforming to DOT 3HT  | Health and Safety at Work (Hazardous Substances - Specification of Design Standards for Refillable Cylinders) Amendment Safe Work Instrument 2019  | <a href="https://www.phmsa.dot.gov/">https://www.phmsa.dot.gov/</a>           |
| ISO 11119-3:2013<br>Gas cylinders - refillable composite gas cylinders and tubes - Design, construction and testing - Part 3:  | Health and Safety at Work (Hazardous Substances - Specification of Design Standards for Refillable Cylinders) Amendment Safe Work Instrument 2019  | <a href="https://www.iso.org/">https://www.iso.org/</a>                       |
| ISO 3807:2013<br>Gas cylinders - Acetylene cylinders - Basic requirements and type testing   | Health and Safety at Work (Hazardous Substances - Specification of Design Standards for Refillable Cylinders) Amendment Safe Work Instrument 2019  | <a href="https://www.iso.org/">https://www.iso.org/</a>                       |
| BS EN 1866-2:2014<br>Mobile fire extinguishers. Requirements for the construction, pressure resistance and mechanical tests for extinguishers, with maximum allowable pressure equal to or lower than 30 bar | Health and Safety at Work (Hazardous Substances - Specification of Design Standards for Low-Pressure Fire Extinguishers) Safe Work Instrument 2019 | <a href="https://shop.bsigroup.com/">https://shop.bsigroup.com/</a>           |
| SWI:NFM 88 940:1981<br>Steel storage tanks - Maximum 1400 Litres Capacity - Horizontal or Vertical Tanks for Above Ground Storage of Gas and Light Heating Oil   | Health and Safety at Work (Hazardous Substances - Above Ground Stationary Tanks Connected to a Generator Set) Amendment Safe Work Instrument 2019  | <a href="https://www.boutique.afnor.org/">https://www.boutique.afnor.org/</a> |

## NEW ZEALAND GAZETTE

These standards are available for inspection, at no charge, between the hours of 9.00am and 5.00pm from Monday to Friday (excluding statutory holidays) at WorkSafe New Zealand located at Level 6, 86 Customhouse Quay, Wellington 6011. You may also contact WorkSafe using the following email to arrange to view the material incorporated by reference [regulatory.frameworks@worksafe.govt.nz](mailto:regulatory.frameworks@worksafe.govt.nz).

Dated at Wellington this 1st day of August 2019.

NICOLE ROSIE, Chief Executive, WorkSafe New Zealand.

2019-au3624

06-08-2019 10:00

---